

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Asgrow Seed Company

Withereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-SLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, PORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SO YBEAN

'A1929'

In Testimony Wancroot, I have hereunto set my hand and caused the seal of the Blaut Variety Protection Office to be affixed at the City of Washington, D. C. this 28th day of the year of our Lord one thousand nine

hundred and ninety-one.

& MAdigan

Plant Variety Protection Office

ricultural Marketing Service

U.S. DEPARTMENT OF AGRI	CULTURE	· · · · · · · · · · · · · · · · · · ·		APPROVED: OMB NO, 0581-0055			
AGRICULTURAL MARKETIN	G SERVICE		Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is				
APPLICATION FOR PLANT VARIETY PF (Instructions on reve		ION CERTIFICATE	held c	ed (7 U.S.C. 2421). Information is onfidential until certificate is issued .C. 2426).			
1. NAME OF APPLICANT(S)	2.	TEMPORARY DESIGNATION	3. VA	RIETY NAME			
Asgrow Seed company				A1929			
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip 9620-190-25	Code) 5.	PHONE (Include area code)	PVPO	FOR OFFICIAL USE ONLY			
Gull Road, Building 190				8900218			
Kalamazoo, Michigan 49001		616-385-6605	ļ				
6. GENUS AND SPECIES NAME 7. FAMI	LY NAME	(Botanical)	و	DATE 111989			
Glycine max	Legumir	osae	FILING	TIME			
8. KIND NAME	9. DA	TE OF DETERMINATION		AMOUNT FOR FILING			
Soybean		September, 1985	RECEIVED	Thay 41989			
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE partnership, association, etc.)	FORM OF	ORGANIZATION (Corporation		AMOUNT FOR CERTIFICATE			
Corporation			FEES	DATE . 12 140 1			
				June 13 1991			
11, IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware				ATE OF INCORPORATION March 22, 1968			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATE	VE(S), IF	NY, TO SERVE IN THIS APPL	CATIO	N AND RECEIVE ALL PAPERS			
John A. Batcha 9620 190 25 (Carv	F 57	arwalt Acrons	nic	Business Developmen			
Asgrow Seed company and	T	ation of his office		V. a Director			
Gull Road, Building 190- 7000	Dostan	ational Marketing e R.C., Kalamazaea	Jer.	F 4900/ gst July 1991			
Kalamazoo, Michigan 49001	1-01 Ind	PHONE (Michael a	rea code): 954			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT							
a. Exhibit A, Origin and Breeding History of the Vari	ety (See Se	ction 52 of the Plant Variety P	rotectio	Act.)			
b. Exhibit B, Novelty Statement.	. 6 . 6	M	Can 1				
c. Exhibit C, Objective Description of Variety (Reque	est Jorm Jro	om Plant Variety Protection Of	100.)				
d. A Exhibit D, Additional Description of Variety. e. Exhibit E, Statement of the Basis of Applicant's O	erchin	•		÷ ·			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF TH		Y BE SOLD BY VARIETY NAM	AE ONL	Y AS A CLASS OF CERTIFIED			
SEED? (See Section 83(a) of the Plant Variety Protection?		Yes (If "Yes," answe	r items 1	6 and 17 below) XX No			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIE LIMITED AS TO NUMBER OF GENERATIONS?	TY BE	17. IF "YES" TO ITEM 16, BEYOND BREEDERS		CLASSES OF PRODUCTION			
Yes X No		Foundation		egistered Certified			
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PR	OTECTIO	N OF THE VARIETY IN THE	U.S.?	Yes (If "Yes," give date)			
	•			X No			
19. HAS THE VARIETY BEEN RELEASED, OFFERED FO	R SALE, O	R MARKETED IN THE U.S. C	R OTH	ER COUNTRIES ?			
				Yes (If "Yes," give names of countries and dates)			
		•		X No			
20. The applicant(s) declare(s) that a viable sample of baplenished upon request in accordance with such regu			ed with	the application and will be re-			
The undersigned applicant(s) is (are) the owner(s) of distinct, uniform, and stable as required in Section 4 Variety Protection Act.	this sexual, and is e	ally reproduced novel plant ventitled to protection under t	ariety, he prov	and believe(s) that the variety is risions of Section 42 of the Plant			
Applicant(s) is (are) informed that false representati	on herein	can jeopardize protection an	d result	in penalties.			
SIGNATURE OF APPLICANT				DATE			
John a. B. atah.				4-28-89			
SIGNATURE OF APPLICANT				DATE			

Asgrow Seed Company PVP Application Al929 Soybean

April 28, 1989

EXHIBIT A

ORIGIN AND BREEDING HISTORY OF A1929

Pedigree: (Pride B216*Hodgson)/2/*A3127/3/Williams 82

- Made backcross to (Pride B216*Hodgson) line using F_1 plants resistant to race 4 of Phytophthora megasperma f.sp. glycinea (Pmg).
- 1983 Grew BC_1F_1 plants at Redwood Falls, Minnesota.
- 1984 Grew BC_1F_2 pop'n at Redwood Falls, Minnesota. Selected 192 BC_1F_2 plants resistant to race 3 of Pmg.
- 1985 Grew 192 BC₁F₂-derived progeny rows at Redwood Falls, Minnesota. Selected 47 progeny rows from this cross in September, 1985. One of these progeny rows was GH831611 A85-11029 and it was harvested in bulk. The seeds were checked and verified for uniform seed coat luster and hilum color.

It was in September, 1985, that GH831611 A85-11029 was determined to be a stable and unique line.

- 1986 GH831611 A85-11029 was entered into the 86P109 as Entry 29 which was grown at Redwood falls, Morgan and Stewart, Minnesota. It produced uniform stands and was selected for its high yield and excellent standability. 100 single ${\rm BC_1F_4}$ plants were pulled from border rows at Redwood Falls.
- GH831611 A85-11029 was entered into the 87V150 as Entry 14 which was grown at 12 locations over 4 states. The line was named X1929. BC₁F₄ pure rows were grown at Redwood Falls and 10 rows were selected for uniformity and bulked to form breeder seed of 15.6 pounds. This seed was planted in Puerto Rico in October, 1987, for a 2-generation winter increase.
- 1988 X1929 was entered into the 88V150 as Entry 7 which was grown at 15 locations over 7 states.

A 90 acre field of X1929 was grown at Perry, Iowa.

X1929 was nominated for release and full production and assigned the designation, A1929.

Yield trial evaluations in 1986, 1987 and 1988 and seed production in 1988 indicate that Al929 is uniform and stable. As with other soybean varieties, variants can occur for almost any character during the course of repeated sexual production.

Asgrow Seed company PVP Application Al929 Soybean April 28, 1989

EXHIBIT B

NOVELTY STATEMENT CONCERNING A1929 SOYBEAN

To our knowledge the soybean varieties that most closely resemble A1929 are Hodgson 78, Sibley, Hardin, BSR101, A1525 and A1937.

1. Flower Color:

A1929 = Purple
Hodgson 78 = Purple
Sibley = White
Hardin = Purple
BSR101 = Purple
A1525 = Purple
A1937 = Purple

2. Plant Pubescence Color: Al929 = Gray

Al929 = Gray Hodgson 78 = Gray Sibley = Gray Hardin = Gray BSR101 = Gray Al525 = Gray Al937 = Tawny

3. Pod Wall Color:

A1929 = Brown
Hodgson 78 = Brown
Sibley = Brown
Hardin = Brown
BSR101 = Tan
A1525 = Tan
A1937 = Brown

4. Hilum Color:

A1929 = Imperfect Black

Hodgson 78 = Buff Sibley = Yellow Hardin = Yellow

BSR101 = Imperfect Black

A1525 = YellowA1937 = Buff

5. Reaction to Races of Phytophthora megasperma f. sp. glycinea:

								Rac	е				
	1	2	3	4	5	7	8	9	13	16	17	21	25
A1929	R	R	\mathbb{R}	Ŗ	R	Ŗ	R	R	R	S	R	R	s
Hodgson 7	78R	R	S	S	S	S	S	S	R	S	R	R	S
Sibley	R	R	S	S	S	S	S	S	R	S	R	R	S
Hardin	R	R	S	S	S	S	S	S	R	S	R	R	S
BSR101	\mathbb{R}	R	S	S	s	S	s	S	R	s	R	R	S
A1525	R	R	S	S	S	s	S	S	R	S	R	R	S
A1937	R	R	s	S	S	s	S	s	R	S	R	R	S

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY

SOYBEAN (Glycine max	L.)
NAME OF APPLICANT(S) TEMPORARY DESIG	GNATION VARIETY NAME
Asgrow Seed Company	A1929
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code)	FOR OFFICIAL USE ONLY
9620-190-25	PVPO NUMBER
Gull Road, Building 190 Kalamazoo, Michigan 49001	8900218
Choose the appropriate response which characterizes the variety in the features in your answer is fewer than the number of boxes provided, place a zero in the Starred characters * are considered fundamental to an adequate soybean variety when information is available.	first box when number is 9 or less (e.g., 0 9).
1. SEED SHAPE:	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)	al Flattened (L/W ratio > 1.2; L/T ratio = < 1.2) e Flattened (L/T ratio > 1.2; T/W > 1.2)
2. SEED COAT COLOR: (Mature Seed)	
1 1 = Yellow 2 = Green 3 = Brown 4 = Black	5 = Other (Specify)
3. SEED COAT LUSTER: (Mature Hand Sheljed Seed)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)	
1 = Dull ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebsoy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)	·
1 6 Grams per 100 seeds	
5. HILUM COLOR: {Mature Seed}	
5 1 = Buff 2 = Yellow 3 = Brown 4 = Gray 5 = In	mperfect Black 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: {Mature Seed}	
1 = Yellow 2 = Green	
7. SEED PROTEIN PEROXIDASE ACTIVITY:	
2 1 = Low 2 = High	
8. SEED PROTEIN ELECTROPHORETIC BAND:	
2 1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)	
9. HYPOCOTYL COLOR:	
1 = Green only ('Evans'; 'Davis') 2 = Green with bronze band below 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266	
10. LEAFLET SHAPE:	
3 1 = Lanceolate 2 = Oval 3 = Ovate 4 = Other (Specify)

FORM LMGS-470-57- (6-83)

11	. LEAFLE	ET SIZE:	•				
	2	1 = Small ('Amsoy 71'; 'A5312')	2 = Medium	('Corsoy 79'; 'Gasoy 17')		
	<u>L</u>	3 = Large ('Crawford'; 'Tracy')					
	. LEAF C	OLOB:					
12	. LLAI C		O - Madise	n Green ('Corsoy 79'; 'Bra	vton')		
	2	1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Median	Green (Corsby 75 , Bre	Atom ,		
* 13	, FLOWE	R COLOR:					
ě	2	1 = White 2 = Purple	3 = White with	purple throat			
							<u></u>
X 14	POD CO)LOR:					
	2	1 = Tan 2 = Brown	3 = Black			. *	
<u>→</u> 18	. PLANT	PUBESCENCE COLOR:					
	П	1 = Gray 2 = Brown (Tav	vnv)		•		
			•	<u></u>			
10	. PLANT	TYPES:					
	2	1 = Slender ('Essex'; 'Amsoy 71')	2 = Intermo	ediate ('Amcor'; 'Braxton')	in a section of the s	
	لـــــا	3 = Bushy ('Gnome'; 'Govan')			:		
<u> </u>	, PLANT	HABIT:					
		1 = Determinate ('Gnome'; 'Braxtor	1') 2 = Semi-D	eterminate ('Will')			
	3	3 = Indeterminate ('Nebsoy'; 'Impro					
						<u> </u>	
X 18	B. MATUF	RITY GROUP:					
	0 4		= 0 4 = I 1 = VIII 12 = IX	5 = II 6 = III 13 = X	7 = IV	8 = V	
				· .			
★ 1	DISEAS	SE REACTION: (Enter 0 = Not Teste	ed; 1 = Susceptible; 2 = Re	sistant)			
	BACT	ERIAL DISEASES:				entropies de la companya de la comp La companya de la co	
*		Bacterial Pustule (Xanthomonas ph	aseoli var. sojensis)				
. *		Bacterial Blight (Pseudomonas glyci	inea)	t			
	رق] .	Wildfire (Pseudomonas tabaci)					
×	البا						•
	FUNGA	AL DISEASES:	·		•		
×		Brown Spot (Septoria glycines)				•	
		Frogeye Leaf Spot (Cercospora sojii	na)				•
. 🤺		Race 1 Race 2	Race 3	Race 4 Race	5 Other	(Specify)	
•	0	Target Spot (Corynespora cassiicola	J	•	·	<u>.</u>	
	0	Downy Mildew (Peronospora trifoli	orum var. manshurica)			٠.	
		Powdery Mildew (Microsphaera diffi	· · ·				
_4	<u> </u>	Brown Stem Rot (Cephalosporium)					-
7							
	10 [Stem Canker (Diaporthe phaseoloru	ım var. caulivora)	•		the state of the s	

19. DISEASE RI	EACTION:	(Enter 0 = Not	Tested; 1 = 3	Susceptible; 2 =	Resistant) (C	Continued)				
FUNGAL	DISEASES	G: (Continued)							•	
★ 0 Pod	f and Stem	Blight (Diaporth	e phaseoloru	ım var; sojae)						
O Pur	ple Seed St	ain <i>(Cercospora</i> .	kikuchii)	•			. ***			
0 Rhi	izoctonia R	oot Rot (Rhizac	tonia solani)	!						
Phy	tophthora	Rot (Phytophthe	ora megaspei	rma var. sojae)	•					
★ 2 Rac	ce 1	2 Race 2	2 Ra	ace 3 2	Race 4	2 Race 5	0	Race 6	2 Race 7	
2 Rac	:e 8	2 Race 9	2 01	ther (Specify) _	Race	13, 17, 2				
VIRAL DI	SEASES:									
O Bud	Blight (To	bacco Ringspot	Virus)	•		· .				
		(Bean Yellow M								
★ 0 cov	vpea Mosai	c (Cowpea Chlor	otic Virus)							
0 _{Pod}	Mottle (Bé	ean Pod Mottle V	'irus)	-						
★ 0 Seed	d Mottle (S	oybean Mosaic V	/irus)	•						•
NEMATO	DE DISEAS	SES:								
Soy	bean Cyst I	Nematode <i>(Heter</i>	odera glycin	nes)					*.	
★ 1 Race	Γ.	1 Race 2		ace 3]	Race 4	Other (Specify)	· · · - ·		
0 Lan	ce Nemato	de (<i>Hoplolaimus</i>	Colombus)					·.		
★ O Sour	thern Root	Knot Nematode	(Meloidogy	ne incognita)						
		Knot Nematode		•			. -			
Pean	nut Root K	not Nematode (//	Meloidogyne	arenaria)						
		atode (Rotylenc				*.				
		ASE NOT ON FO				· · · · · · · · · · · · · · · · · · ·				
								-		
20. PHYSIOLOG	ICAL RES	PONSES: (Ente	r 0 = Not Te	sted; 1 = Susce	ptible; 2 = Res	istant)				
★ L Iron	Chlorosis	on Calcareous Sc	iil							
Othe	er <i>(Specify)</i>	·	· · · · ·		-					
21. INSECT REA	CTION: (Enter 0 = Not Te	ested; 1 = Su	sceptible; 2 = F	lesistant)	·			· · · · · · · · · · · · · · · · · · ·	
0 Mex	ican Bean I	Beetle <i>(Epilachna</i>	varivestis)		•		•			•
O Pota	ito Leaf Ho	pper (<i>Empoasca</i>	fabae)					* * *		
Othe	er (Specify)	·							_	
22. INDICATE W	HICH VA	RIETY MOST CI	OSELY RE	SEMBLES TH	AT SUBMITTE	ED.				
CHARACTI		······································	E OF VAR	·	1	RACTER		NAME OF	VARIETY	
Plant Shape		Ha	rdin		Seed Co	oat Luster	<u> </u>	Hardin		
Leaf Shape		Hai	rdin		Seed Si	ze		Hodgson	78	
Leaf Color		Hai	cdin		Seed Sh	ape		Hardin		
Leaf Size		Hai	cdin		Seedling	Pigmentation		Hardin		
	ŀ					•	1			

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY DAYS LOD	1	PLANT LODGING	CM PLANT	LEAFLET SIZE		SEED CON	TENT	SEED SIZE G/100	NO. SEEDS/
				CM Length	% Protein % Oil		SEEDS	POD	
A1929 Submitted	125	1.5	85	8.1	11.9	40.5	22.8	16.0	2.6
Hardin Name of Similar Variety	126	3.2	95	7.8	11.5	40.8	22.9	14.5	2.8

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell, 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

Data from 1987-88 Asgrow V150 trial, except seed data from 1988 Asgrow V150 trial.

Asgrow Seed Company PVP Application Al929 Soybean April 28, 1989

EXHIBIT D

ADDITIONAL DESCRIPTION OF THE VARIETY

Al929 is a late maturity Group I cultivar that possesses an outstanding combination of characters needed by producers in its maturity zone. It combines high yield potential, excellent standability, very good emergence, and resistance to many races of Phytophthora megasperma f. sp. glycinea conferred by the Rps $_1^{\rm K}$ alleles.

Asgrow Seed Company PVP Application A1929 Soybean April 28, 1989

EXHIBIT E

STATEMENT OF THE BASIS OF APPLICANT'S OWNERSHIP

A1929 was originated and developed by Alan K. Walker, Asgrow Plant Breeder. By agreement between employee and Asgrow Seed Company, all rights to any invention, discovery, or development made by an employee are assigned to the Company. No rights to such invention, discovery, or development are retained by the employee.